



CONSUMER PRODUCTS SERVICES DIVISION

LASERGIFTS LLC

Technical Report: (5217)202-0142
Date Received: July 25, 2017

August 22, 2017
Page 1 of 3

GARY HASLAM
LASERGIFT LLC
3250 TOWER RD, PRESCOTT
ARIZONA, USA 86301

Sample Description:	PERSONALIZED NOVELTY BOTTLE		
Vendor:	N/A	Sample Size:	4
Manufacturer:	XUZHOU SHEENLAND GLASS PRODUCTS CO., LTD	Style No(s):	PMB
Buyer:	LASERGIFTS LLC	SKN/SKU No.:	790507212784
Labeled Age Grade:	NOT PRESENT	PO No.:	N/A
Appropriate Age Grade:	NOT REQUESTED	Ref #:	N/A
Client Specified Age Grade:	14+ - ADULT	Country of Origin:	CHINA
Grade:			
Tested Age Grade:	ADULT	Assortment No.:	N/A
UPC Code:	790507212784	Country of Destination :	USA

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The specifications in corresponding section(s) of the US Code of Federal Regulations (CFR) Chapter 21 (FDA), Part 175-177, "Indirect food additives". The material identification(s) provided by the client/vendor were closures with sealing gasket for food containers (177.1210).
- At the request of the client, submitted samples were evaluated for material composition and for FDA GRAS.
- The sample most closely resembles wrought aluminum stainless steel and can be considered as FDA/GRAS.

BUREAU VERITAS HONG KONG LIMITED

Lai Ka Yan, Margaret
Senior Manager
Chemical Department

ML/ip



RESULTS:

**FDA Food Simulating Solvent Extractives –
 INDIRECT FOOD ADDITIVES - POLYMERS: CLOSURE WITH SEALING GASKETS FOR FOOD CONTAINERS**

Test Method : U.S. FDA 21 CFR 177.1210

Condition of Use		Extracting Condition of Corresponding Solvents	
		Distilled Water	8 % Alcohol
E	Room temperature filled and stored	120 °F, 24 hours	120 °F, 24 hours

Sample Identity	Color / Component	Location	Style
A.	white foam	gasket	

Analyte	Net Chloroform Soluble Extractive		Conclusion
	Distilled Water	8% Alcohol	
Solvent	Distilled Water	8% Alcohol	
Requirement	≤ 50 ppm	≤ 50 ppm	
Sample Identity	Results (ppm)		Conclusion
A.	26.7	16.7	Pass

< = Less than

≤ = Less than or equivalent to
 ppm = part per million

> = Greater than

* = Average of duplicated analysis
 °F = degree Fahrenheit



RESULTS:

Arc Spectrometer Data Sheet	
Wrought Aluminum	
ELEMENTS	RESULT (%)
	Silvery metal lid-substrate
Si	0.035
Fe	0.155
Cu	<0.01
Mn	<0.01
Mg	<0.01
Ni	<0.01
Zn	<0.01
Ti	0.012
Pb	<0.01
Sn	<0.01
V	<0.01
Cr	<0.01
Al	99.8